

# PROFESSIONAL-GRADE





# CONTINUOUS INNOVATION &

**DUALIE WAYPOINT** 

**PROTAC® HPL usb** 

# IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions. The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.





# INTRODUCING THE BATTERY THAT REINVENTS RECHARGEABILITY

# THE 18650 THAT TURNS HIGH-PERFORMANCE LIGHTS **INTO RECHARGEABLE SYSTEMS.**

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our 18650 USB battery with integrated charging port.

### **RECHARGEABLE SYSTEMS AVAILABLE IN 4 POPULAR KITS**



**POLYTAC® X USB** 



### **PROTAC HL® 5-X USB**



**PROTAC® HL-X USB** 



### **PROTAC® 2L-X USB**

### **DIRECT CHARGE WITH USB CORD**

Charge from wall charger, truck USB outlet, laptop or desktop computer, your TV's USB port — wherever your job takes you, you'll have the ability to charge.





CHARGING

CHARGED

USB Rechargeable 2600mAh 18650 Lithium Ion Battery — Charges in 5 hours. Featuring charge status indicator.

### EASILY CHARGES FROM EPU-5200<sup>™</sup>

Take your power and rechargeability anywhere.



# STREAMLIGHT TLRs THE WIDEST RANGE OF WEAPON-MOUNTED LIGHTS

Streamlight produces a full line of weapon-mounted lights with the features that law enforcement, conceal & carry, and sportsmen need: high-lumen, laser, and IR. Models to fit long guns and full-size and compact pistols.

### COMPACT & **FULL FRAME** PISTOLS UNIVERSAL **RAIL MOUNT MODELS**



TLR-7® WHITE LIGHT ILLUMINATOR



TIR-78 WHITE LIGHT ILLUMINATOR



TLR-1 HL® WHITE LIGHT ILLUMINATOR



TLR-1® TLR-1<sup>®</sup>s WHITE LIGHT ILLUMINATOR



TLR-3® WHITE LIGHT ILLUMINATOR

### SUB-COMPACT **& COMPACT** PISTOLS **TRIGGER GUARD & RAIL MOUNT MODELS**

LONG GUN / AR **RAIL MOUNT MODELS** 





TLR-3® WHITE LIGHT ILLUMINATOR



**PROTAC<sup>®</sup>** 

WHITE LIGHT ILLUMINATOR

LIGHT ONLY

RAIL MOUNT HL-X



(Lona Gun Kit) WHITE LIGHT ILLUMINATOR

SPECIALTY/IR LONG GUN / AR & FULL FRAME PISTOLS



TLR-1 HL<sup>®</sup>

(Lona Gun Kit)

WHITE LIGHT ILLUMINATOR

TLR-VIR<sup>®</sup> (Long Gun Kit) WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR



**PROTAC®** 

RAIL MOUNT 2

WHITE LIGHT ILLUMINATOR

TLR-VIR® PISTOL WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR



TI R-18 IR IR ILLIMINATOR

**PROTAC®** 

RAIL MOUNT 1

WHITE LIGHT ILLUMINATOR





### LIGHT/LASER COMBO





TLR-8 <sup>®</sup> WHITE LIGHT ILLUMINATOR // RED LASER



TLR-8<sup>®</sup> WHITE LIGHT ILLUMINATOR // RED LASER



WHITE LIGHT ILLUMINATOR // RED LASER



// RED LASER

TLR-2® G WHITE LIGHT ILLUMINATOR // GREEN LASER



TLR-2 HL<sup>®</sup> G WHITE LIGHT ILLUMINATOR // GREEN LASER



TLR-4<sup>®</sup>

// RED LASER

TLR-4<sup>®</sup> G WHITE LIGHT ILLUMINATOR WHITE LIGHT ILLUMINATOR // GREEN LASER

// RED LASER

TLR-6<sup>®</sup>

WHITE LIGHT ILLUMINATOR

TLR-2<sup>®</sup> // TLR-2<sup>®</sup>s WHITE LIGHT ILLUMINATOR // RED LASER



TLR-6<sup>®</sup>

RAIL MOUNT

TLR-2 HL<sup>®</sup> WHITE LIGHT ILLUMINATOR // RED LASER



TLR-6<sup>®</sup>

WHITE LIGHT ILLUMINATOR // RED LASER

1911

TLR-2 HL<sup>®</sup> G WHITE LIGHT ILLUMINATOR // GREEN LASER





TLR-28 IRW WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER



IR ILLUMINATOR // EYE SAFE IR LASER





### STREAMLIGHT WEAPON-MOUNTED SERIES

# ULTRA LOW PROFILE RAIL MOUNT LIGHTS.

🖥 GET MORE INFO AT: STREAMLIGHT.COM / 800-523–7488 / 610-631-0600



WHITE LIGHT ILLUMINATOR

Ultra lightweight and low profile, the TLR-7<sup>®</sup> weapon-mounted tactical light features the latest in C4<sup>®</sup> LED technology and provides 1.5 hours of continuous runtime from a single lithium battery. Rail clamp is designed to rapidly attach/detach from side of compact and full frame weapons.

### TLR-7

BATTERY: (1) 3V "CR123A" lithium SIZE: 2.15" x 1.18" x 1.27" (5.46 x 2.98 x 3.22 cm) WEIGHT: 2.4 oZ (68.1 g) COLOR: Black

69420 with lithium battery – Black – Box

### 500 LUMENS

LUMENS:	500
CANDELA:	4,300
DISTANCE:	131m
RUN TIME:	1h 30m





Safe Off feature prevents accidental activation; saves batteries.

### 500 LUMENS

LUMENS:	500
CANDELA:	4,300
DISTANCE:	131m
RUN TIME:	1h 30m

Laser mode: 18 hours of run time





Safe Off feature prevents accidental activation; saves batteries.

### **TLR-8<sup>®</sup> RAIL MOUNTED LIGHT**

WHITE LIGHT ILLUMINATOR // RED LASER

Ultra lightweight and low profie, the TLR-8<sup>®</sup> weapon-mounted tactical light with integrated aiming laser features the latest in C4<sup>®</sup> LED technology. The light provides 1.5 hours of continuous runtime when in dual mode with the high power visible laser. Rail clamp is designed to rapidly attach/detach from side of compact and full frame weapons.

### TLR-8

BATTERY: (1) 3V "CR123A" lithium SIZE: 2.15" x 1.18" x 1.50" (5.46 x 2.98 x 3.81 cm) WEIGHT: 2.64 oz (75 g) COLOR: Black

69410 with lithium battery – Black–Box

### STREAMLIGHT WEAPON-MOUNTED SERIES

# TLR HL FAMILY OF LIGHTS **HIGH-LUMEN DOMINATION THROUGH** MAXIMUM ILLUMINATION.

**TLR-1 HL®** WHITE LIGHT ILLUMINATOR

### TLR-2 HL®

WHITE LIGHT ILLUMINATOR // RED LASER

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Operates in temperatures from -40°F to +120°F. Impact resistant. Easy, fast battery installation/replacement. The TLR-1 HL is IPX7-rated waterproof to 1 meter for 30 minutes. TLR-2 HL features a 650-660nm red laser and IPX4-rated for water resistance.

TLR-1 HL SIZE: 3.39" x 1.47" x 1.44" [8.61 x 3.73 x 3.65 cm] **WEIGHT:** 4.18 OZ [118.6 g] COLOR: Black, Flat Dark Earth or Flat Dark Earth Brown

TLR-2 HL BATTERY: [2] 3V "CR123A" lithium BATTERY: [2] 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" [8.61 x 3.73 x 4.64 cm] WEIGHT: 4.78 OZ (135.5 q) COLOR: Black

### TLR-1 HL TLR-2 HL

69260	69261	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69266	_	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth.
69267	_	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Flat Dark Earth Brown.
69262	_	Long Gun Kit includes: TLR-1 HL with thumb screw and "safe off" door switch, remote pressure switch and mounting clips, lithium batteries. For pistol mounting the kit also includes standard door switch, rail locating keys. Lithium batteries. Black.



With (STROBE) tan tailswitch to activate

TLR-1 HL<sup>®</sup> Available in Flat Dark Earth and FDE Brown



CANDELA:	15,000
DISTANCE:	245m
RUN TIME:	1h 45m

TLR-2 HL Laser only mode: 45 hours of run time



### TLR-2HL®G

WHITE LIGHT ILLUMINATOR // GREEN LASER

We added a direct drive green laser to this powerful high-lumen weapon light. The green is clearly visible to guide your aim even in bright sunlight. You can count on the light and laser even in extreme temperatures from -40°F to +120°F. IPX4 rated for water resistance.

TLR-2 HL G BATTERY: (2) 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm) WEIGHT: 4.78 oz (135.5 g) COLOR: Black

69265 Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

LUMENS:800CANDELA:15,000DISTANCE:245mRUN TIME:1h 30mLaser mode:17 hours of run time



### 800 LUMENS HL SERIES

With ((STROBE)) Double tap tailswitch to activate

### STREAMLIGHT WEAPON-MOUNTED SERIES

# THE TLR-1 HPL... HIGH-LUMEN + LONG-DISTANCE SEE EVERYWHERE.

-61(F

### TLR-1 HPL<sup>®</sup>

This high lumen, long-range, rail-mounted tactical light has an intensely

bright, far-reaching beam with a large hotspot. It throws a wide beam to illuminate your target downrange, while illuminating everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. Operates in extreme temperatures (-40°F to +120°F). IPX7-rated. Impact-resistant. Easy, fast battery replacement.

### TLR-1 HPL

BATTERY: (2) 3V "CR123A" lithium SIZE: 4.83" x 1.44" x 2.2" (12.27x 3.66x 5.59 cm) WEIGHT: 5.3 oZ (150.3 g) COLOR: Black TLR-1 HPL W/REMOTE BATTERY: (2) 3V "CR123A" lithium SIZE: 5.25" x 1.44" x 2.2" (13.34x 3.66 x 5.59 cm) WEIGHT: 5.6 oz (158.8 g) COLOR: Black

- 69215 Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries.Black.
- 69216 Remote model. Includes Rail Locating Keys for use with Glock<sup>®</sup> style, 1913 Picatinny, S&W 99/TSW, and Beretta<sup>®</sup> 90two. Remote switch and Lithium batteries. Black.
- 69219 Long Gun Kit with thumbscrew, "Safe Off" door switch and remote pressure switch. Includes Rail Locating Keys for use with Glock<sup>®</sup> style, 1913 Picatinny, S&W 99/TSW, and Beretta<sup>®</sup> 90two. Lithium batteries. Black.





A long-gun/long-range light with a green LED that preserves night vision and won't spook game. Mounts directly to long-guns with MIL-STD-1913 rails. Unbreakable, scratch-resistant, O-ring sealed lens. Operates in temperatures from -40°F to +120°F. IPX7-rated waterproof to 1 meter for 30 minutes. Impact resistant.

### **TLR-1 GAME SPOTTER**

BATTERY: (2) 3V "CR123A" lithium SIZE: 4.83" x 1.44" x 2.2" (12.27 x 3.66 x 5.59 cm) WEIGHT: 5.3 oz (150.3 g) COLOR: Black

### **TLR-1 GAME SPOTTER W/REMOTE**

BATTERY: (2) 3V "CR123A" lithium SIZE: 5.25" x 1.44" x 2.2" (13.34 x 3.66 x 5.59 cm) WEIGHT: 5.6 oz (158.8 g) COLOR: Black

### 69227 Standard model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black. 69228 Remote model. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Remote switch and Lithium batteries. Black.





# THE TLR-2G...GREEN LASER FOR ALL CONDITIONS.

TLR-2<sup>®</sup>G WHITE LIGHT ILLUMINATOR // GREEN LASER

The highly visible (even in daylight) green laser assists in target acquisition. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails. Operates in temperatures from -40°F to 120°F. IPX4-rated for water-resistance. Features a strobe that can be disabled.

TLR-2 G BATTERY: (2) 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm) WEIGHT: 4.72 oz (133.8 g) COLOR: Black

69250 Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S6W 99/TSW, and Beretta® 90two. Lithium battery. Black.

LUMENS: 300	
CANDELA:	12,000
RUN TIME:	2h 30m
Laser mode: 17 h	ours of run time

# 300 LUMENS TRADITION SERIES

Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails.

# A TRADITION OF DURABILITY, POWER, & LONG RUN TIME.



### TLR-1<sup>®</sup>// TLR-1<sup>®</sup>s

WHITE LIGHT ILLUMINATOR

Intensely bright, durable tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with Glock<sup>®</sup>-style rails and to all MIL-STD-1913 (Picatinny) rails. Operates in temperatures from -40°F to +120°F. IPX7-rated waterproof to 1 meter for 30 minutes. Impact resistant. The TLR-1s includes a strobe.

TLR-1 / TLR-1s BATTERY: (2) 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm) WEIGHT: 4.18 oz (118.6 g) COLOR: Black

69110	Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny,
	S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69210	Strobe model includes Rail Locating Keys for use with Glock® style, 1913
	Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69211	Strobe model with Earless Screw Kit, includes Rail Locating Keys
	for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta®
	90two. Lithium batteries. Black.



15

### TLR-2°// TLR-2°s

WHITE LIGHT ILLUMINATOR // RED LASER

The same great features as the TLR-1 lights with a 650-660nm red laser for accurate aiming. Strobe ("s") model available.

### TLR-2/TLR-2s

BATTERY: [2] 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm) WEIGHT: 4.72 oz (133.8 g) COLOR: Black

Lithium batteries. Black.

69120	with Red Laser. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.
69230	Strobe model w/ Red Laser. Includes Rail Locating Keys for use with Glock® style. 1913 Picatinny. S&W 99/TSW. and Beretta® 90two.

### TLR SERIES ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights on the market and the widest array of weapon mounted lights. Whether you're LEO, S.W.A.T., Military, home defense or a sportsman, Streamlight builds the accessories you can depend on and the options and configurations that you need to accomodate all your weapon-mounted needs.

TLR Accessories	TLR-1 HL/ TLR-2 HL	TLR-2 HL G	TLR-2 G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-2 IR EYE SAFE	TLR-2 IRW	TLR-1 IR	TLR-1 HPL	TLR-1 GAME SPOTTER
Remington 870 Mount	69906	69906	69906	69906	69906	69906	69906	69906	69906	69906
TLR 12 ga. Mag Mount	69901	69901	69901	69901	69901	69901	69901	69901	69901	69901
AR-15 M16 Mount	69902	69902	69902	69902	69902	69902	69902	69902	69902	69902
Ambidextrous Vert. Grip w/Rail	69114	69114	69114	69114	69114	69114	69114	69114	69114	69114
TLR Key Kit	69175	69175	69175	69175	69175	69175	69175	69175	69175	69175
Nylon Holster	1: 69201 2:69202	69202	69202	69201	69202	69202	69202	69201	_	_
Contour Remote -Glock®*	69300	69300	69300	69300	69300	69300	69300	69300	_	_
Contour Remote -M&P*	69310	69310	69310	69310	69310	69310	69310	69310	_	_
Door Switch	69130	69130	69130	69130	69130	69130	69130	69130	69130	69130
Door Switch w/Safe Off	69161	69161	69161	69161	69161	69161	69161	69161	69161	69161
Tape Switch	69132	69132	69132	69132	69132	69132	69132	69132	69132	69132
Coil Pressure Switch	69134	69134	69134	69134	69134	69134	69134	69134	69134	69134
Straight Press. Switch	69135	69135	69135	69135	69135	69135	69135	69135	69135	69135
Red Flip Lens	69115	69115	69115	69115	69115	_	69115	_	_	_
Blue Flip Lens	69116	69116	69116	69116	69116	_	69116	_	_	_
Green Flip Lens	69117	69117	69117	69117	69117	-	69117	-	-	_
IR Flip Lens	69118	69118	69118	69118	69118	_	69118	_	_	_
Opaque Flip Lens	69124	69124	69124	69124	69124	69124	69124	69124	_	_
CR123A Batteries			2 Pk. // 8	35175 6 Pk	. // 85180	12 Pk. // 85	177 400 F	Pk. // 85179		
CR1/3N Batteries				2 Pk. // 692	71 6 Pk. //	69281 — Fo	or use in TLR	2-6		

\*Note: Must be used in conjunction with 69130 remote door switch. Fits Glock® 17/22 and 19/23 size frames; or Smith & Wesson M&P frames.

# ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & FULL-SIZE WEAPONS.

### TLR-3® WHITE LIGHT ILLUMINATOR

 LUMENS:
 125

 CANDELA:
 5,300

 RUN TIME:
 1h 30m



### 125 LUMENS

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in temperatures from -40°F to +120°F. IPX7-rated waterproof to 1 meter for 30 minutes.

TLR-3 BATTERY: (1) 3V "CR2" lithium SIZE: 2.71" x 1.18" x 1.51" (6.88 x 3 x 3.84 cm) WEIGHT: 2.32 oz (65.8 g)

COLOR: Black

69220	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69221	H&K USP Compact Model. Black.
69222	H&K USP Full-Size Model. Black.

### TLR-4®

WHITE LIGHT ILLUMINATOR // RED LASER



Designed for sub-compact and compact weapons, this white light illuminator features a red laser to guide your aim. Operates in temperatures from -20°F to +120°F. IPX4-rated water-resistant.

TLR-4 BATTERY: [1] 3V "CR2" lithium SIZE: 2.73" x 1.2" x 1.99" (6.93 x 3.05 x 5.05 cm) WEIGHT: 2.81 oz (79.7 g) COLOR: Black

69240	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69241	H&K USP Compact Model. Black.
69242	H&K USP Full-Size Model. Black.

### TLR-4®G

WHITE LIGHT ILLUMINATOR // GREEN LASER

LUMENS: 115 CANDELA: 5,200 RUN TIME: 1h 15m Laser only mode: 4 hours of run time

### 115 LUMENS

Extremely compact weapon-mounted light specifically designed for compact/sub-compact weapons, yet still fits a broad range of handguns. Produces a concentrated beam with optimum peripheral illumination. It includes a long-range green laser to help guide your aim. The laser operates through an extended temperature range – from -20°F to +120°F. IPX4-rated water-resistant.

### TLR-4G

BATTERY: (1) 3V "CR2" lithium SIZE: 2.73" x 1.2" x 1.99" (6.93 x 3.05 x 5.05 cm) WEIGHT: 2.81 oz (79.7 g) COLOR: Black

69245	Standard model includes rail locating keys for use with Picatinny or Glock® style rails. Lithium battery. Black.
69246	H&K USP Compact Model. Black.
69247	H&K USP Full-Size Model. Black.

### STREAMLIGHT SUB-COMPACT WEAPON-MOUNTED SERIES

# ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS.

### TLR-6<sup>®</sup> FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6" weapon light with C4" LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Change batteries while mounted on gun, no need to re-sight laser after battery change. Durable, impact-resistant polymer construction; IPX4 water-resistant. 1 meter impact resistance tested.



[5.84 x 2.16 x 3.61 cm]
WEIGHT:* 1.27 oz (36 g)
COLOR: Black or Flat Dark Earth Brown
*Size & Weight vary by model. Glock® 42/43 listed.

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
Laser mode: 11 hours of	run time

69270	TLR-6 (Glock® 42/43) with lithium batteries-Black
69278	TLR-6 (Glock® 42/43) with lithium batteries-Flat Dark Earth Brown
69272	TLR-6 (Glock® 26/27/33) with lithium batteries-Black
69273	TLR-6 (M&P Shield® 40/9) with lithium batteries-Black
69274	TLR-6 (KAHR® ARMS) with lithium batteries-Black
69275	TLR-6 (SIG SAUER® P238/P938) with lithium batteries-Black
69276	TLR-6 (KIMBER® Micro) with lithium batteries-Black
69277	TLR-6 Universal Kit-Black
ACCESSO	DRIES
69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 6 pk

All Rights Reserved. M&P Shield<sup>®</sup>, GLOCK<sup>®</sup>, SIG SAUER<sup>®</sup>, KIMBER<sup>®</sup>, & KAHR<sup>®</sup> are registered trademarks of Smith & Wesson, Glock, Inc., SIG SAUER, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson<sup>®</sup>, GLOCK<sup>®</sup>, SIG SAUER<sup>®</sup>, KIMBER<sup>®</sup>, KAHR<sup>®</sup> Arms or Saeilo Enterprises, Inc.

















Universal Kit includes LED/laser module and all TLR-6 body housings: Glock 42, Glock 26, M6P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth Brown and 1911 model not included.)

### STREAMLIGHT SUB-COMPACT WEAPON-MOUNTED SERIES

# **TLR-6 RAIL MOUNT** THE IDEAL LIGHT & LASER FOR COMPACT, RAILED HANDGUNS

### TLR-6<sup>®</sup> RAIL MOUNT // FOR COMPACT PISTOLS WITH RAILS

Designed to securely attach to the Rail and the trigger guard of GLOCK<sup>®</sup> compact railed handguns, Springfield Armory® XD®, XD(M)®, XD® MOD.2® and M&P® standard and compact railed handguns. The compact TLR-6® rail mount weapon light with C4<sup>®</sup> LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

**TLR-6 RAIL MOUNT** BATTERY: (2) 3V CR-1/3 N lithium **SIZE:** 2.20" x 1.20" x 1.47" (5.58 x 3.04 x 3.73 cm) WEIGHT: 1.16 oz (33 g) COLOR: Black

### 100 LUMENS

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
aser mode: 11 hours of	run time

69290	TLR-6 Rail (Glock® 17/19/21) with lithium batteries-Black
69291	TLR-6 Rail (SA XD, XD (M), XD MOD 2) with lithium batteries-Black
69293	TLR-6 Rail (S&W M&P®) with lithium batteries-Black
ACCESS	ORIES
69271	CR 1/3N lithium batteries - 2 pk
69281	CR 1/3N lithium batteries - 6 pk



Model #69290

Fits Glock® 17. Glock® 19. Glock® 21



Model #69293

Fits S&W M&P®



Fits SA XD<sup>®</sup>, SA XD [M]<sup>®</sup>, SA XD<sup>®</sup> MOD. 2<sup>®</sup>



Fits Glock® 17. Glock® 19 Glock® 21





### TLR-6<sup>®</sup> FOR NON-RAIL 1911 HANDGUNS

Add the compact performance of the TLR-6 to many non-rail 1911 handguns including: KIMBER<sup>®</sup>, Colt<sup>®</sup>, Ruger<sup>®</sup> and Smith & Wesson<sup>®</sup>. The ultra-compact TLR-6<sup>®</sup> weapon light with C4<sup>®</sup> LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re- sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode.

### TLR-6 FOR NON-RAIL 1911

BATTERY: (2) 3V CR-1/3 N lithium SIZE:\* 2.34" x .085" x 1.58" (5.94 x 2.16 x 4.01 cm) WEIGHT: 1.27 oz (36 g) COLOR: Black

### 100 LUMENS

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
Laser mode: 11 hours of	run time

69279	TLR-6 (1911) with lithium batteries-Black	

### ACCESSORIES

69271 CR 1/3N lithium batteries - 2 pk

### 69281 CR 1/3N lithium batteries - 6 pk

### DESIGNED TO SECURELY ATTACH TO THE TRIGGER GUARD OF NON-RAIL 1911 HANDGUNS.



#69279 Fits 1911

### COMPATABILITY LIST FOR NON-RAIL 1911 HANDGUNS

### **KIMBER**®

Stainless Ultra Raptor II Custom CDP Pro CDP II Ultra Crimson Carry Custom TLE II Pro Carry II Pro Crimson Carry II

### COLT®

1911-A1 1911 Commander Competition 1911 Government 1991 A1 Government Gold Cup® National Match Delta Elite® 10mm 1911 Lightweight Commander

### SIG SAUER®

1911 TacPac 1911 C3® 1911 Nitron® 1911 Ultra Compact

### PARA® USA

Elite 1911 Expert Commaner 1911 LTC

### REMINGTON® 1911R1S

BURD

### SMITH & WESSON®

SW 1911 Pro Series SW 1911 CT SW 1911 SC SW 1911

### SPRINGFIELD ARMORY® 1911 Range Officer® 1911 Range Officer® Compact

**RUGER**® 6700 6402

## STREAMLIGHT OFFERS A COMPLETE RANGE OF **IR ILLUMINATORS AND LASERS FOR USE WITH NIGHT VISION GOGGLES.**

### TLR-2® IRW

WHITE LIGHT ILLUMINATOR // EYE SAFE IR LASER

LUMENS: 300 CANDELA: 12,000 IR OUTPUT: Less than .8mW DISTANCE: 219m RUN TIME: 2h 30m Laser mode: 45+ hours of run time



Features a Class 1 "Eye Safe" Infrared laser along with a blinding bright white light for long-range targeting. User programmable strobe enable/disable. Mounts directly to handguns with Glock®-style rails and to all MIL-STD-1913 (Picatinny) rails. Operates in temperatures from -40°F to +140°F. IPX4-rated for water-resistance.

### TLR-2 IRW

BATTERY: [2] 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" [8.61 x 3.73 x 4.64 cm] WEIGHT: 4.72 oz (133.8 a) COLOR: Black

69165 TLR-2 IRW. Includes Rail Locating Keys for use with Glock<sup>®</sup> style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

### TLR-2® IR EYE SAFE IR ILLUMINATOR // EYE SAFE IR LASER

IR LED OUTPUT:	120mW
IR LASER OUTPUT:	Less than .8mW
IR RUN TIME:	7h 30m

IR Laser mode: 45+ hours of run time



Lightweight, compact, lithium battery powered gun-mounted infrared active illuminator with Class 1 "Eye Safe" integrated IR aiming laser. The Illuminator features the latest in shockproof high power infrared LED technology providing at least 7.5 hrs of continuous run time when in dual mode with the infrared laser. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-2 IR EYE SAFE

BATTERY: [2] 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.83" [8.61 x 3.73 x 4.64 cm] WEIGHT: 4.72 oz (133.8 g) COLOR: Black

TLR-2 IR w/ Eye Safe Laser. Includes Rail Locating Keys 69166 for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.

### TLR-1® IR **IR ILLUMINATOR**

IR OUTPUT:	125mW/sr
IR RUN TIME:	7h 30m



Lightweight, compact, lithium battery powered Gun-Mounted Active Illuminator featuring the latest in high power infrared LED technology. The illuminator is built with a shock-proof LED and provides at least 7.5 hours of continuous run time. Rail clamp designed to rapidly attach/detach from side of weapon.

### TLR-1 IR

BATTERY: [2] 3V "CR123A" lithium SIZE: 3.26" x 1.47" x 1.44" (8.28 x 3.73 x 3.65cm) WEIGHT: 4.18 OZ (118.6 g) with batteries COLOR: Black

69150 TLR-1 IR. Includes Rail Locating Keys for use with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black.





WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

TLR-VIR PISTOL	
LUMENS:	300
CANDELA:	11,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME:	2h 30m
IR RUN TIME:	32h

Ambidexterous momentary

steady-on-off switch

WHITE LIGHT ILLUMINATOR // IR ILLUMINATOR

TLR-VIR	
LUMENS:	300
CANDELA:	12,000
IR OUTPUT:	1000mW/sr
VISIBLE RUN TIME	: 2h 30m
IR RUN TIME:	20h



### 300 LUMENS

This combination bright white C4<sup>®</sup> LED and infrared (IR) illuminator is designed for use with a pistol. It has a lower profile than the original TLR-VIR, and it's waterproof to 66 ft. in its standard configuration. The IR illuminator is within the same lens as the white light. You can easily transition from white light to IR with a switch at the bottom of the light. There's no need to remove your eyes from the target or alter your firing grip. It has the standard momentary and constant-on ambidextrous switch as well.

### TLR-VIR PISTOL

BATTERY: (2) 3V "CR123A" lithium SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65cm) WEIGHT: 4.2 oz (119 g) with batteries COLOR: Black

69190 Includes rail locating keys for used with Glock® style, 1913 Picatinny, S&W 99/TSW, and Beretta® 90two. Lithium batteries. Black. Designed to be used with a long gun, includes both a white LED and an Infrared (IR) illuminator. Also features programmable strobe. Momentary/steady On-Off switch with plug port for momentary remote switch. Switch between white and IR as needed. Operates in temperatures from -40°F to +150°F. IPX7-rated waterproof to 1 meter for 30 minutes. Designed to fit all long guns with MIL-STD-1913 rails.

### TLR-VIR

**BATTERY:** (2) 3V "CR123A" lithium **SIZE:** 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm) **WEIGHT:** 6.0 oZ (170 g) with batteries, retained lens cap and remote switch **COLOR:** Black

69180 Includes opaque lens cover, remote switch, 1913 key. Lithium batteries. Black.

### STREAMLIGHT WEAPON-MOUNTED SER

# THE PROTAC RAIL MOUNT LIGHTS SEALING THE BANK.

(-----

GET MORE INFO AT: STREAMLIGHT.COM / 800-523-7488 / 610-631-0600

### **PROTAC®** RAIL MOUNT HL-X

The ProTac series expands its weapon-mounted lights with this 1,000 lumen light featuring a dedicated fixed-mount for Picatinny rails for long guns/AR. Lightweight, this bright light can be used in close guarter combat or to identify medium range threats. Rugged, reliable. Its easy to use pressure switch comes with a button for on/off and a pressure switch for momentary activation. TEN-TAP® Programming provides operator custom options.

### PROTAC RAIL MOUNT HL-X

BATTERY: (2) 3V "CR123A" lithium or (1) 18650 Li-Ion 3.7v 2600mAh rechargeable **SIZE:** 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm) WEIGHT W/2X CR123A: 6.4 OZ [181.4 q] WEIGHT W/18650 LI-ION: 6.9 OZ (195.6 a) COLOR: Black

88066 with (2) lithium batteries—Black

### **PROTAC®** RAIL MOUNT 2

This 625 lumen light featuring a dedicated fixed-mount for Picatinny rails for long guns/AR. Lightweight, this bright light can be used in close quarter contact or to identify medium range threats. Rugged, reliable and easy to use pressure switch comes with a button for on/off for momentary activation. TEN-TAP® programming provides operator custom options.

### **PROTAC RAIL MOUNT 2**

BATTERY: (2) 3V "CR123A" lithium SIZE: 5.00" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm) **WEIGHT:** 5.00 OZ [141.7 g] COLOR: Black

88059 with (2) lithium batteries—Black

### **DUAL FUEL DESIGN:**

RUN TIME:

CR123A

LUMENS:

CANDELA:

RUN TIME:

Strobe runs 3 25 hours

Runs on CR123A or 18650 batteries

WITH CR123	AHIGH	LOW	
LUMENS:	1,000	60	
CANDELA:	27,600	1,600	
DISTANCE:	332m	80m	
RUN TIME:	1h 20m	20h	
Strobe runs 2.5 ho	ours		
WITH 18650	нісн	Inw	
WITH 18650	HIGH	LOW	
WITH 18650 LUMENS:	<b>HIGH</b> 1,000	LOW 60	

1h 30m

HIGH

23h



With [(STROBE)] 1.000 LUMENS Double tap switch to activate

TEN-TAP<sup>®</sup> Programmable switch allows user selection of one of three different programs: high/strobe (factory default)

- high only
- low/high

625 60 22.000 2.000 DISTANCE: 297m 89m 2h 21h Strobe runs 2.75 hours

LOW



with [(STROBE)] 625 LUMENS Double tan switch to activate

(STRC

Double tap switch t

**TEN-TAP**<sup>®</sup> Programmable switch allows user selection of one of three different programs:

high/strobe (factory default)

TEN-TAP<sup>®</sup> programmable switch

- high only
- low/high

### **PROTAC®** RAIL MOUNT 1

This 350 lumen light featuring a dedicated fixed-mount for Picatinny rails for long guns/AR. It uses either a remote switch with momentary/ constant on operation or a standard push-button tail switch, and can run on either a lithium battery or an easy-to-find alkaline battery. TEN-TAP<sup>®</sup> programming provides operator custom options.

### PROTAC RAIL MOUNT 1

BATTERY: (1) 3V "CR123A" lithium or (1) "AA" Alkaline **SIZE:** 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm) WEIGHT: 4.3 OZ (121.9 g) w/CR123A // 4.5 OZ (127.57 g) w/Alkaline COLOR: Black

88058 with (1) lithium battery—Black

### **DUAL FUEL DESIGN:**

Runs on one "AA" alkaline or CR123A lithium battery — both included.

CR123A	HIGH	LOW
LUMENS:	350	40
CANDELA:	12,000	1,380
DISTANCE:	219m	19m
RUN TIME:	1h 45m	14h 30m
Strobe runs 2.75	hours	

ALKALINE	HIGH	LOW		
LUMENS:	150	40		
CANDELA:	4,950	1,380		
DISTANCE:	141m	19m		
RUN TIME:	1h 30m	8h		
Strobe runs 2.75 hours				



		allows user selection of one of three different programs:
_	50 LUMENS	<ul> <li>high/strobe (factory default)</li> </ul>
to activate.		<ul> <li>high only</li> </ul>

 high only low/high

An additional tail cap switch is included in each Rail Mount package if the remote switch is not preferred.

### PROTAC®HL-XUSB PROTAC®HL-X

The ProTac HL-X is a 1,000 lumen tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The ProTac HL-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

### PROTAC HL-X USB / PROTAC HL-X

BATTERY: (1) 18650 Li-Ion 3.7v 2600mAh rechargeable or (2) 3V "CR123A" lithium SIZE: 5.43" x 1.44" x 1.0" (13.8 x 3.7 x 2.54 cm) WEIGHT W/18650: 6.2 oz (176 g) WEIGHT W/(2) CR123A: 5.7 oz (162 g) COLOR: Black

HL-X USB (18650)	HL-X (CR123A	]
88084	88064	with batteries, holster and wrist lanyard $-$ Clam
88085	88065	with batteries, holster and wrist lanyard — Box
ACCESSOR	IES	
22101	10650 0/	attory with USP port - 1 pook

22101	IODOU DALLELY WILLI	изврин - праск
22102	18650 Battery with	USB port - 2 pack
22081	USB cord - 22"	
88043	Nylon Holster	all standing the

1,000 LUMENS



TEN-TAP<sup>®</sup> programmable switch allows user selection of one of three different programs:
high/strobe/low (factory default)

- high only
- low/medium/high



### MULTI-FUEL DESIGN:

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	MEDIUM	LOW	WITH CR
LUMENS:	1,000	400	65	LUMEN
CANDELA:	27,100	10,000	1,600	CANDE
DISTANCE:	330m	200m	80m	DISTA
RUN TIME:	1h 30m	3h 30m	23h	RUN TI
Strobe runs 3.25	i hours			Strobe ru

WITH CR123A	HIGH	MEDIUM	LOW	
LUMENS:	1,000	400	65	
CANDELA:	27,100	10,000	1,600	
DISTANCE:	330m	200m	80m	
RUN TIME:	1h 15m	Зh	20h	
Strobe runs 2.5 hours				





# X USB MULTI-FUEL FLEXIBILITY A NEW WAY TO LOOK AT BATTERIES AND RECHARGABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...





### PROTAC<sup>®</sup>2L-X USB PROTAC<sup>®</sup>2L-X

The ProTac 2L-X is a 500 lumen EDC light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The ProTac 2L-X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

### PROTAC 2L-X

BATTERY: (1) 18650 Li-lon 3.7v 2600mAh rechargeable or (2) 3V "CR123A" lithium SIZE: 5.14" x 1.06" x .94" (13.0 x 2.7 x 2.4 cm) WEIGHT W/18650: 4.4 oz (125 g) WEIGHT W/(2) CR123A: 3.9 oz (111 g) COLOR: Black

### 2L-X USB 2L-X

(18650)	(CR123A	N]
88082	88062	batteries, holster and wrist lanyard — Clam
88083	88063	batteries, holster and wrist lanyard — Box
ACCESSO	RIES	
22101	18650 B	attery with USB port - 1 pack
22102	18650 B	attery with USB port - 2 pack
22081	USB cor	d - 22"
88036	Nylon Ha	olster

### MULTI-FUEL DESIGN:

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	LOW	WITH CR123A	HIGH	LOW
LUMENS:	500	40	LUMENS:	500	40
CANDELA:	6,800	600	CANDELA:	6,800	600
DISTANCE:	165m	49m	DISTANCE:	165m	49m
RUN TIME:	3h 15m	30h	RUN TIME:	2h 45m	30h
Otrobo rupo 4 E l	houro		Ctrobe rupe 2.05	houro	

Strobe runs 4.5 hours

Strobe runs 3.25 hours

Both the ProTac 2L-X USB and the ProTac 2L-X are multi-fuel and accept either an 18650 USB battery or CR123A batteries.



**TEN-TAP**<sup>®</sup> programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high



### **18650 USB BATTERY WITH INTEGRATED PORT**

The 18650 USB Lithium-Ion batteries provides an alternate power source for newer Streamlight products that accept either standard CR123A lithium batteries or 18650 batteries. It features an integrated safety circuit that protects from over charging or overdischarging. The 18650 battery with integrated micro USB port charges in 5 hours. A wide variety of power sources can be used, such as a PC, power pack or 12VDC automotive power.

18650 BATTERY WITH INTEGRATED PORT BATTERY CAPACITY: 3.7V, 2600mAh, rechargeable BATTERY SIZE: 2.75" x .744" (.7 x 1.89cm) BATTERY WEIGHT: 1.7 oz (48 g)

22101	18650 Battery with USB port - 1 pack	
22102	18650 Battery with USB port - 2 pack	



USB Rechargeable 2600mAh 18650 Lithium Ion Battery — Charges in 5 hours. Featuring charge status indicator.



### POLYTAC® X USB POLYTAC® X

The PolyTac X is a 600 lumen tactical light that comes in 2 versions. The PolyTac X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The PolyTac X comes with 2 CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. The PolyTac X is a bright and compact personal polymer light. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP<sup>®</sup> Programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

### POLYTAC X USB / POLYTAC X

BATTERY: (1) 18650 Li-Ion 3.7v 2600mAh rechargeable or (2) 3V "CR123A" lithium SIZE: 5.46" x 1.35" x 1" (13.87 x 3.43 x 2.54 cm) WEIGHT W/18650: 4.9 oz (139 g) WEIGHT W/(2) CR123A: 4.4 oz (125 g) COLOR: Black, Yellow or Coyote

POLYTAC X USB (18650)	POLYTAC X (CR123A)		
88610	88600	with batteries—Black—Clam	
88611	88601	with batteries—Yellow—Clam	
88612	88602	with batteries—Coyote—Clam	
88613	88603	with batteries—Black—Box	
88614	88604	with batteries—Yellow—Box	
88615	88605	with batteries—Coyote—Box	
ACCESSORIES			
22081	USB cord -	22"	
22101	18650 Battery with USB port - 1 pack		
22102	18650 Battery with USB port - 2 pack		
85905	Nylon Holster		
85115	Flip Lens -	Red	
85116	Flip Lens -	Blue	
85117	Flip Lens -	Green	
74039	Flip Lens -	IR	
99075	Rubber Helmet Strap		
68089	Poly Mount	Kit	

### **MULTI-FUEL DESIGN:**

Runs on (1) 18650 battery or (2) CR123A

WITH 18650	HIGH	MEDIUM	LOW	
LUMENS:	600	260	35	
CANDELA:	11,485	4,930	675	
DISTANCE:	205m	135m	50m	
RUN TIME:	3h 30m	5h 45m	36h	
Strobe runs 8 hours				

WITH CR123A	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME:	2h 45m	5h 30m	34h
Strobe runs 5.5 hours			



Both the PolyTac X USB and the PolyTac X are multi-fuel and accept either the Streamlight 18650 USB battery or CR123A batteries.

# Kenter and a second and a secon



With **(STROBE)** Double tap switch to activate.

**TEN-TAP**<sup>®</sup> Programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

# **OUR TACTICAL LIGHTS** JUST GOT MORE VERSATILE INTRODUCING USB MULTI-FUEL OPTIONS

### **X USB Version**

Includes (2) 18650 USB Batteries and USB "Y" Cord - allowing you to charge both batteries at once

STREAMLIGH

Both the ProTac HL 5-X USB and the ProTac HL 5-X are multi-fuel and accept either 18650 USB batteries or CR123A batteries.

STREAMLIGH



### 3,500 LUMENS (W/18650 BATTERIES)

HL SERIES

**TEN-TAP**<sup>®</sup> programmable switch allows user selection of one of three different programs:

P10102 1123

- high/strobe/low (factory default)
- high only
- low/medium/high



### PROTAC HL<sup>®</sup> 5-X USB PROTAC HL<sup>®</sup> 5-X

The ProTac HL 5-X is a 3,500 lumen tactical light that comes in 2 versions. The ProTac HL 5-X USB is a rechargeable system. It comes with our new 18650 USB battery with integrated USB charging port. The ProTac HL 5-X comes with four CR123A batteries. Multi-battery versatility means the user can always use primary disposable cells to power the light if the rechargeable cell is out of power and a charging source is not available. They are the newest and brightest addition to the ProTac<sup>®</sup> series. The output from the LED results in one of the brightest tactical lights available. The "sure grip rubber sleeve" and included lanyard ensures you'll never lose your grip.

### PROTAC HL 5-X USB / PROTAC HL5-X

BATTERY: (2) 18650 Li-Ion 3.7v 2600mAh rechargeable or (4) 3V "CR123A" lithium SIZE: 9.53" x 2.35" x 1.24" (23.65 x 5.97 x 3.15 cm) WEIGHT W/18650: 1 lb 3.4 oz (550 g) WEIGHT W/(4) CR123A: 1 lb 2.4 oz (522 g) COLOR: Black

### HL 5-X USB HL 5-X

[18650]	[CR123A]	
88080	88074	with batteries, wrist lanyard — Clam
88081	88075	with batteries, wrist lanyard — Box
ACCESSORIE	S	
22082	USB "Y" cor	rd - 22"
22101	18650 Batte	ery with USB port - 1 pack
00100	10050 0-++	

### 22102 18650 Battery with USB port - 2 pack

### **MULTI-FUEL DESIGN:**

Runs on (2) 18650 or (4) CR123A batteries

WITH 18650	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME:	1h 15m	Зh	11h 30m
Strobe runs 1.25 hours			

WITH CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME:	1h 30m	2h 30m	10h 30m
Strobe runs 1.5 h	ours		

Strobe runs 1.5

# THE PROTAC SERIES... A COMPLETE FOR ALL TYPES OF USES, FROM

### **PROTAC®**1L-1AA

The ProTac<sup>®</sup> 1L-1AA is the perfect everyday carry light. This dual fuel ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster.

### PROTAC 1L-1AA

BATTERY: (1) 3V "CR123A" lithium or 1"AA" alkaline/lithium SIZE: 4.25" x .95" x .850" (10.8 x 2.41 x 2.16 cm) WEIGHT: w/CR123A 2.5 oz (71 g) WEIGHT: 2.8 oz (79 g) Alkaline // 2.4 oz (68 g) Lithium COLOR: Black

### PROTAC® 1L-1AA

88061 with (1) alkaline & lithium batteries and holster – Black

**DUAL FUEL DESIGN:** Runs on (1) CR123A or (1) "AA" battery WITH CR123A HIGH LOW LUMENS: 350 40 Nylon CANDELA: 6.400 720 Holster DISTANCE: 160m 53m **RUN TIME:** 1h 30m 14h Strobe runs 3 hours WITH "AA" ALK. HIGH LOW LUMENS: 150 40 CANDELA: 2,750 720 DISTANCE: 105m 53m with [(STROBE)] RUN TIME: 7h 30m 1h 20m Double tan switch to activate Strobe runs 3.5 hours WITH TA AT LITHURA LUCH 1 014/

WITH AA LITHIUM	חטח	
LUMENS:	150	40
CANDELA:	2,750	720
DISTANCE:	105m	53m
RUN TIME:	4h 15m	14h
Strobe runs 8 hours		

TEN-TAP<sup>®</sup> Programmable switch allows user selection of one of three different programs:
high/strobe/low (factory default)
high only
low/high

### **PROTAC®**2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP<sup>®</sup> Programming for user selection of mode programs (high, low, strobe). IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

### PROTAC 2AA

BATTERY: [2] "AA" alkaline SIZE: 6.14" x .9" x .65" (15.60 x 2.29 x 1.65 cm) WEIGHT: 3.4 oz (96 g) COLOR: Black

### PROTAC® 2AA

88033 with (2) alkaline batteries and holster – Black 88038 Holster



# FAMILY OF LIGHTS WORKBENCH TO EVERY DAY CARRY.

### **PROTAC®**1AAA

Compact and powerful, this ProTac® series flashlight offers three different user selectable programs and the latest in power LED technology. The combination of small size and output from the C4® LED result in one of the brightest tactical personal carry lights for its size. Packaged with a removable pocket clip and holster.

### PROTAC 1AAA

BATTERY: (1) "AAA" alkaline or lithium SIZE: 3.94" x .71" x .57" (10.0 x 1.80 x 1.44 cm) WEIGHT: 1.3 oz (37 g) COLOR: Black

### **PROTAC® 1AAA**

88049	with (1) alkaline battery and holster — Black
72024	Lanyard

### DUAL FUEL DESIGN:

Runs on (1) CR123A or (1) "AA" battery

LITHIUM	HIGH	LOW	ALKALINE	HIGH	LOW
LUMENS:	115	8	LUMENS:	115	8
CANDELA:	890	65	CANDELA:	890	65
DISTANCE:	60m	16m	DISTANCE:	60m	16m
RUN TIME:	1h 45m	17h	RUN TIME:	2h 15m	23h
Strobe runs 5 hou	urs		Strobe runs 1.2 ho	ours	

**TEN-TAP**<sup>®</sup> Programmable switch allows user selection of one of three different programs:

high/strobe/low (factory default)

• high only

• low/high



With **((STROBE))** Double tap switch to activate.

### **PROTAC®**2AAA

Lightweight personal flashlight with three modes (high, low, and strobe), a removable pocket clip and a 30-hr. run time on low. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.

### PROTAC 2AAA

BATTERY: [2] "AAA" alkaline SIZE: 5.62" x .72" x .5" (14.27 x 1.83 x 1.27 cm) WEIGHT: 2.0 oz (57 g) COLOR: Black

### PROTAC® 2AAA

88039	with (2) alkaline batteries — Black
88045	Holster



### **PROTAC HL®4**

With 2,200 lumens of blinding light, the ProTac HL<sup>®</sup>4 offers the latest in power LED technology and three different user selectable programs. The output from the super powerful LED results in one of the brightest tactical lights available. The "sure grip rubber sleeve" and included lanyard ensures you'll never lose your grip.

### PROTAC HL 4

BATTERY: (4) 3V "CR123A" lithium or (2) 18650 Li-Ion 3.7v 2600mAh rechargeables SIZE: 8.63" x 2.35" x 1.24" (21.92 x 5.97 x 3.15 cm) WEIGHT: 17 oz (482 g) COLOR: Black

88060 with lithium batteries and holster-Black

2,200 LUMENS HL SERIES



### DUAL FUEL DESIGN: Runs on (4) CR123A or (2) 18650 batteries

WITH CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,200	600	60
CANDELA:	30,000	8,300	800
DISTANCE:	346m	182m	56m
RUN TIME:	1h 30m	4h	40h
Strobe runs 2.5 hours			

WITH 18650	HIGH	MEDIUM	LOW
LUMENS:	2,200	600	60
CANDELA:	30,000	8,300	800
DISTANCE:	346m	182m	56m
RUN TIME:	1h 45m	4h 15m	43h
Strobe runs 3.5 hours			

NEED HIGH LUMEN PERFORMANCE? CHOOSE FROM THE PROTAC FAMILY. THE 2,200 LUMEN PROTAC HL® 4

### **32** GET MORE INFO AT: STREAMLIGHT.COM / 800-523-7488 / 610-631-0600



### **PROTAC HL® USB**

PROTAC HL USB

COLOR: Black

88052

88054

or (2) 3V "CR123A" lithium

BATTERY: Lithium-ion. Lithium-ion 18650

with USB Cord and holster—Black

with USB 120V/DC and holster—Black

SIZE: 6.5" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)

WEIGHT: 7.2 oz (204 g) with Li-On battery

The ProTac HL USB is incredibly bright and features new multiple power source capability. It uses our lithium ion rechargeable battery, two CR123A batteries or an available Li-On 18650 rechargeable battery. It recharges by connecting to a USB port, so it's easy to charge on the go. The anti-rattle battery compartment keeps batteries securely and quietly in place and doesn't need a battery carrier. TEN-TAP® programming lets you choose the selection of operating modes (high/strobe/low, high only or low/medium/high]. IPX4 rated for water resistance.

### HIGH MEDIUM LOW LUMENS: 850 350 85 CANDELA: 10.000 4,000 1.000 DISTANCE: 200m 126m 63m RUNTIME: 1h30m 4h 12h Strobe runs 1.5 hours

### 850 LUMENS HL SERIES



**TEN-TAP**<sup>®</sup> Programmable switch allows user selection of one of three different programs:

With (STROBE)

tan switch to activat

 high/strobe/low (factory default) high only

low/medium/high

### **PROTAC® HPL usb**

The Pro Tac HPL® USB is a versatile tactical light designed for down range applications, that can charge from multiple sources and use three battery types; Streamlight rechargeable lithium ion battery, two CR123A batteries, or commercially available Rechargeable Li Ion cells. This light will charge from a laptop or most USB wall chargers. Multi-battery versatility means you can always use primary disposable cells to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. Packaged with a removable pocket clip and holster.

### HIGH MEDIUM LOW LUMENS: 1,000 400 65 2.250 CANDELA: 35.000 14.100 DISTANCE: 374m 237m 95m RUNTIME: 1h 30m 3h 20h Strobe runs 3 hours

### 1,000 LUMENS HPL SERIES



BATTERY: Lithium-ion. Lithium-ion 18650 or (2) 3V "CR123A" lithium SIZE: 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm) WEIGHT: 9.24 OZ (262 g) with Li-On battery COLOR: Black

88076	with USB Cord and holster—Black—Clam
88077	with USB Cord and holster—Black—Box
88078	with USB 120V/DC and holster—Black—Clam
ACCESSO	RIES
22070	USB cord
88048	Nylon Holster



Double tap switch to activate.

different programs:

high/strobe/low (factory default)

high only

low/medium/high

### MILITARY HANDS-FREE / SIGNALING SERIES SIDEWINDER... THE MOST VERSATILE

### **SIDEWINDER®**

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

### SIDEWINDER

BATTERY: (2) "AA" alkaline or (2) "AA" lithium for extended operation in extreme temperatures (-40° F to +150°F) SIZE: 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm) LITHIUM WEIGHT: 4.38 oZ (124 g) ALKALINE WEIGHT: 5.02 oZ (142 g) COLOR: Coyote

WHITE LED	HIGH
LUMENS:	55
CANDELA:	1,175
DISTANCE:	69m
RUN TIME:	5h 30m

### Military Model (White, Red, Blue, IR LEDs)

14000	w/alkaline—Clam packaged. Coyote.
14032	w/alkaline—Boxed. Coyote.
14027	w/alkaline—with Helmet Mount. Clam packaged. Coyote.
14031	w/alkaline—with E-mount. Clam packaged. Coyote.

### Aviation Model (White, Green, Blue, IR LEDs)

14008	w/alkaline— Clam packaged. Coyote.
14024	w/alkaline—with MOLLE retainer. Boxed. Coyote.



SIDEWINDER® LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
C4"	55 Lumens	100 Hrs+	45 Hrs	11 Hrs	5.5 Hrs	10 Hrs
IR	25mW/sr (min) radiant intensity	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Red	1 Lumens	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Blue	1.8 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
Green	4.5 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
All run time to 10% of initial output level. Illumination output electronically regulated.						

### **SIDEWINDER®**RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline batteries or two "AA" lithium batteries for maximum versatility in the field. IPX7 waterproof to 1 meter for 30 minutes.

### SIDEWINDER RESCUE

BATTERY: (2) "AA" alkaline or (2) "AA" lithium for extended operation in extreme temperatures (-40° F to +150°F) SIZE: 2.34" x 1.08" x 4.65" (5.94 x 2.74 x 11.81 cm) LITHIUM WEIGHT: 4.38 oz (124 g) ALKALINE WEIGHT: 5.02 oz (142 g) COLOR: Coyote

### Rescue Model (White, Green, Blue, IR LEDs)

14065 Kit Includes MOLLE retainer, paracord and alkaline batteries. Boxed
14069 Kit Includes MOLLE retainer, paracord and alkaline batteries. Clam
14066 w/alkaline – Light only. Boxed
14067 w/alkaline – Light only. Clam
14068 w/alkaline – Includes E-Mount. Boxed



Cord attachment for para-cord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

Securely attaches to MOLLE or other straps using MOLLE retainer

# MILITARY LIGHT IN THE WORLD.

### SIDEWINDER COMPACT®II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Entire body rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

### SIDEWINDER COMPACT II

MULTIPLE POWER SOURCES:

(1) "CR123A" lithium, or (1) "AA" Alkaline, or (1) "AA" lithium **SIZE:** 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm) WEIGHT: 2.4 oz (68 g) // 3.3 oz (94 g) w/Helmet Mount COLOR: Coyote



### Military Model (White, Red, Blue, IR LEDs)

14516	Light only. Boxed.
14510	with Helmet Mount. Boxed.
14512	with Helmet Mount and Elastic Headstrap. Clam.
14513	with E-Mount. Clam packaged.
14514	with Helmet Mount and Elastic Headstrap. Boxed.
14515	Green, Blue, IR LEDs with Night Vision Goggle Mount.
Boxed.	
14518	with Helmet and Rail Mount.
Aviatio	Model (White Green Rive IR) (Re)

### Aviation Model (White, Green, Blue, IR LEDs)

- 14531 with Rail Mount and Elastic Headstrap.
- 14532 with Helmet Mount and Elastic Headstrap, AA Battery, Boxed.
- with Night Vision Goggle Mount. Boxed. 14533



SIDEWINDE

LED

C4" IR or Red

Blue or Green

C4"

IR or Red

Blue or Green

All run time to 10% of init

Low

10% Output

100 Hrs+ 100 Hrs+

40 Hrs

100 Hrs+

100 Hrs+

The Sidewinder Compact II is designed for versatility. It can operate on a "AA" Lithium, "AA" alkaline or CR123A Lithium battery.

	C4 HIGH W/CR123A LITHIUM	C4 HIGH W/"AA" LITHIUM	C4 HIGH W/"AA" ALKALINE	
LUMENS:	55	47	47	
CANDELA:	1,175	1,000	1,000	
DISTANCE:	69m	63m	63m	
RUN TIME:	6h	6h	2h	



	Line service transfer and transfer and tran			- Aviation <b>Fiation Model</b> nite C4® LED Je LED /IFF LED een LED	E-Mount (ACH, ECH, MICH, L E-Mount Access. Kit (Includes E-Mount, MDLLE Retainer and paracord) Paracord Sidewinder Rescue Access. Kit
NDER	COMPACT	II <sup>®</sup> BATTE	RY RUN TI	IME	(Includes MOLLE Retainer and paracord)
CR123/	A LITHIUM/"AA	" LITHIUM BAT	TERY		li
.ow IO% Itput	Medium 1 25% Output	Medium 2 45% Output	High 100% Output	Strobe 100% Output	Helmet Mount Kit-Coyote Helmet
) Hrs	28 Hrs	16 Hrs	6 Hrs	10 Hrs	Headstrap, and Mi
) Hrs+	72 Hrs	36 Hrs	16 Hrs	24 Hrs	
) Hrs+	60 Hrs	24 Hrs	12 Hrs	18 Hrs	Rail Mount
	"AA" ALKALI	NE BATTERY			Kit-Coyote Rail Mo
) Hrs	16 Hrs	8 Hrs	2 Hrs	4 Hrs	Headstrap and MO
) Hrs+	48 Hrs	18 Hrs	9 Hrs	14 Hrs	
) Hrs+	36 Hrs	12 Hrs	6 Hrs	10 Hrs	
of initial	output level. Illu	umination outpu	t electronically	regulated.	CR123A Batteries

	Sidewinder	Sidewinder Compact II
Helmet Mount - Coyote	14055	14055
	14057	14057
Rail Mount for Helmet - Coyote	NSN-8470-	01-633-3996
Night Vision Boggle Mount -Tactical	14155	14155
	14135	14135
Night Vision Goggle Mount -Aviation	NSN-5340-	01-641-3916
Safety Wand - Glow in the dark	14902	14902
Elastic Headstrap	-	14059
1 le m	14136	14136
E-Mount (ACH, ECH, MICH, LWH compatible)	NSN-5340-	01-641-3930
E-Mount Access. Kit (Includes E-Mount, MOLLE Retainer and paracord)	14137	14137
Paracord	14138	14138
Sidewinder Rescue Access. Kit (Includes MOLLE Retainer and paracord)	14139	14139
Helmet Mount Kit-Coyote Helmet Mount, Headstrap, and MOLLE plate	14112	14112
Rail Mount Kit-Coyote Rail Mount, Headstrap and MOLLE plate	14113	14113
Redustrap and MOLLE plate		

### STINGER DS®LED STINGER®LED

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch.

STINGER DS LED	STINGER LED
BATTERY: 3-cell, 3.6V NiMH sub-C or NiCd	BATTERY: 3-cell, 3.6V NiMH sub-C or NiCd
<b>DS SIZE:</b> 8.85" x 1.62" x 1.17" [22.48 x 4.11 x 2.97 cm]	<b>SIZE:</b> 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm)
DS WEIGHT: 12.8 oz (364 g)	WEIGHT: 12.4 oz (352 g)
COLOR: Black	COLOR: Black

### DS LED LED

75813	75713	with 120V AC/12V DC Smart Charger—Black
75811	75711	with 120V AC Smart Charger—Black
75832	75732	w/120V AC/12V DC PiggyBack®—Black
75853	75753	with 12V DC Smart Charger (NiMH) — Black
75810	75710	without Charger (NiMH)— Black

	HIGH	MEDIUM	LOW
LUMENS:	350	175	85
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	2h	3h 45m	7h 15m

Strobe mode: 5.5 hours of continuous run time

350 LUMENS TRADITION SERIES



AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

THE STINGER SERIES IS ALWAYS ON THE JOB. IT'S A DUTY LIGHT.

BUILT WITH

PRECISION &

PERFORMANCE

# STINGER DS LED HL® STINGER LED HL®

Everything you love about the Stinger with more lumens for more brightness and a wider beam that lights up a whole area from side to side. Now you'll see the dangers that may be hiding in corners in rooms, tunnels, alleyways, cars, and more.

#### STINGER DS LED HL

BATTERY: 3-cell, 3.6V NiMH sub-C DS SIZE: 8.85" x 1.62" x 1.17" (22.48 x 4.11 x 2.97 cm) DS WEIGHT: 12.8 oz (364 g) COLOR: Black STINGER LED HL BATTERY: 3-cell, 3.6V NiMH sub-C SIZE: 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm) WEIGHT: 12.4 oz (352 g) COLOR: Black

#### DS LED HL LED HL

75454	75430	with 120V AC/12V DC - 2 holders (NiMH)-Black
75455	75431	with 120V AC (NiMH)-Black
75456	75432	with 12V DC (NiMH)-Black
75458	75434	with 120V AC/12V DC – 1 PiggyBack (NiMH)-Black
75453	75429	without Charger (NiMH)-Black





#### 800 LUMENS HL SERIES

# STINGER DS<sup>®</sup>HPL LED STINGER<sup>®</sup>HPL LED

The Stinger<sup>®</sup> HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 740 lumen beam provides side to side visibility to fill in up-close areas and corners. NiMH battery.

#### STINGER DS HPL LED

BATTERY: 3-cell, 3.6V NiMH sub-C DS SIZE: 9.65" x 2.20" x 1.17" (24.51 x 5.59 x 2.97 cm) DS WEIGHT: 14.0 oz (396 g) COLOR: Black **STINGER HPL LED BATTERY:** 3-cell, 3.6V NiMH sub-C **SIZE:** 9.23" x 2.20" x 1.17" (23.44 x 5.59 x 2.97 cm) **WEIGHT:** 13.6 oz (385 g) **COLOR:** Black

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	48,000	24,000	12,000
DISTANCE:	438m	310m	219m
RUN TIME:	1h 30m	2h 30m	5m

Strobe mode: 3 hours of continuous run time



DS HPL	HPL
75863	75763 with 120V AC/12V DC - 2 holders (NiMH)
75861	75761 with 120V AC (NIMH)
75899	75799 with 12V DC (NiMH)
75882	75782 with 120V AC/12V DC – 1 PiggyBack (NiMH)
75900	75980 without Charger (NiMH)

#### STINGER ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights on the market. In addition, we support them with the accessories you can depend on and the options and configurations that you need to accomodate all your portable lighting needs.

Stinger Accessories	DS LED HL LED HL	DS HPL HPL	DS LED LED	UltraStinger LED	PolyStinger LED HAZ-LO	PolyStinger LED / DS LED
5 Unit Bank Charger	75400	75400	75400	75400	75400	75400
Smart Charger	75105	75105	75105	75105	75105	75105
Steady Piggyback"	75277	75277	75277	_	75277	75277
NiCd Battery Stick	-	_	_	_	76375	_
NiMH Battery Stick	75375	75375	75375	77375	_	75375
Li-lon Battery Stick	75176	75176	75176	75176	_	75176
12V Cig Charge Cord	22051	22051	22051	22051	22051	22051
12V DC Charge Cord	22050	22050	22050	22050	22050	22050
120V AC Charge Cord	22071	22071	22071	22071	22071	22071
Leather Plain Holster	75133	_	75133	_	_	75133
Leather Weave Holster	75134	_	75134	_	_	75134
Std. Nylon Holster	75927	75927	75927	_	_	75910
Loop Nylon Holster	75928	75928	75928	75928	75928	75928
Duty Holster	88053	88053	88053	88053	_	_
Ring Holder	75906	75906	75906	75906	75906	75906
Red Flip Lens	75115	_	75115	_	_	_
Green Flip Lens	75117	_	75117	_	_	_
Blue Flip Lens	75116	_	75116	_	_	_
Red Wand	75903	75946	75903	78903	_	75933
White Wand	75908	75949	75908	78908	_	75938
Blue Wand	75902	75947	75902	_	_	75932
Yellow Wand	75904	75948	75904	78904	_	75934
Glow Wand	75913	75950	75913	78913	_	75943

# FAR REACHING BEAM + 1,100 LUMENS... THERE'S A REASON IT'S CALLED THE ULTRASTINGER LED.

# **ULTRASTINGER®** LED

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all... it also has a far-reaching beam, TEN-TAP<sup>®</sup> Programming for its multiple intensities and strobe; plus we added a rubber sleeve for a better grip. It's IPX4 rated for water resistance and it works with existing Stinger<sup>®</sup> chargers and accessories.

#### ULTRASTINGER LED

BATTERY: 5-cell, 6V Ni-MH sub-C SIZE: 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm) WEIGHT: 19.9 oz (564 g) COLOR: Black

77553 with AC/DC Smart Charger–Black
77551 with AC Smart Charger–Black
77555 with DC Smart Charger–Black
77550 without Charger–Black

	HIGH	MEDIUM	LOW
LUMENS:	1,100	350	90
CANDELA:	65,000	21,000	5,000
DISTANCE:	510m	290m	141m
RUN TIME:	1h 30m	4h 30m	16h
	ar ( );		

Strobe mode: 3h 15m of continuous run time

#### 1,100 LUMENS HL SERIES

TEN-TAP<sup>®</sup> Programmable switch allows user selection of one of three different programs:
High/medium/low with strobe [factory default]

- High only without strobe
- High/medium/low without strobe

With **(STROBE)** Double tap switch to activate.

#### DUTY + TACTICAL HOLSTER

STINGER

HOLSTER

**DUTY+TACTICAL** 

- Super-tough nylon construction - Quick, Easy Access

# THE STRION SERIES. SMALL FORM FACTOR, **BIG PERFORMANCE.**

# STRION DS LED HL® STRION LED HL®

The power of a Stinger in a more compact Lithium Ion rechargeable flashlight. It even fits long-gun mounts. Casts a bright white beam that spreads out to illuminate an entire area. You'll see what's in front of you and what may be hiding in the corners.

STRION DS LED HL BATTERY: Lithium-ion 3.75V SIZE: 6.33" x 1.25" x .95" (16.08 x 3.18 x 2.41 cm) WEIGHT: 5.4 oz (153 g) COLOR: Black STRION LED HL BATTERY: Lithium-ion 3.75V SIZE: 5.90" x 1.25" x .95" (14.99 x 3.18 x 2.41 cm) WEIGHT: 5.2 oz (148 g) COLOR: Black

STRIUNUSHL	HIGH	MEDIUM	LUW
LUMENS:	700	300	40
CANDELA:	12,000	5,000	800
DISTANCE:	219m	141m	57m
RUN TIME:	1h 15m	3h 15m	20h
Strobe mode: 2.5	5 hours of c	ontinuous ru	n time

With [[STROBE]]

Double tap switch to activ

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

**700**LUMENS HL SERIES



### STRION ACCESSORIES

Strion Accessories	STRION / DS LED HL	STRION HPL / DS HPL	STRION / STRION DS
6 Unit Bank Charger 120V	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401
Piggyback Charger Holder	74115	74115	74115
Smart Charger Holder	74102	74102	74102
Li-ion Battery Stick	74175	74175	74175
12V Cig Charge Cord	22051	22051	22051
12V DC Charge Cord	22050	22050	22050
120V USB Charge Cord	22071	22071	22071
Rail Mount	74200	74200	74200
Vertical Grip	69114	69114	69114
Leather Plain Holster	74059	-	74059
Leather Weave Holster	74060	-	74060
Std. Nylon Holster	-	75910	-
Nylon Option Holster	85905	-	85905
Tactical Holster	88051	88051	88051
Red Flip Lens	85115	-	85115
Green Flip Lens	85117	-	85117
Blue Flip Lens	85116	-	85116
Red Wand	74903	75946	74903
White Wand	_	75949	-
Blue Wand	_	75947	-
Yellow Wand	74904	75948	74904
Glow Wand	74913	75950	74913

# WHEN YOU DOUBLE THE BATTERIES YOU HAVE ON HAND.



# **STRION**<sup>®</sup>

- Always Be Ready
- Charge via 12V DC, 120 AC or USB
- Ouick, and Convenient
- Charges Light & Spare Battery

## **STRION DS®** LED HPL **STRION®** LED HPL

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

STRION LED HPL

(17.78 x 5.59 x 2.41 cm)

**COLOR:** Black

BATTERY: Lithium-ion 3.75V

SIZE: 7.00" x 2.2" x .95"

WEIGHT: 7.1 OZ (202 q)

HPL SERIES

#### STRION DS LED HPL **BATTERY:** Lithium-ion 3.75V SIZE: 7.56" x 2.2" x .95" [19.2 x 5.59 x 2.41 cm] WEIGHT: 6.9 OZ (196 g) COLOR: Black

#### NS HPI нрі

00 m E		
74811	74501	with 120V AC/12V DC – 1 Holder – Black
74812	74502	with 120V AC/12V DC-2 Holders-Black
74819	74536	with 120V AC/12V DC – 1 PiggyBack
74813	74503	with 120V AC — Black
74814	74504	with 12V DC — Black
74810	74500	without Charger – Black

#### STRION DS HPL HIGH MEDIUM LOW LUMENS: 700 300 40 CANDELA: 44,000 18,000 2,600 DISTANCE: 420m 268m 102m RUN TIME: 1h 15m 3h 15m 20h Strobe mode: 2.5 hours of continuous run time 700 LUMENS Dual (STROBE) Double tap switch to activat TECHNOLOGY AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES STRION HPL HIGH LOW MEDIUM LUMENS: 615 320 16N CANDELA: 40.000 20.000 10.000 615 LUMENS **DISTANCE:** 400m 200m 283m

RUN TIME:

1h Strobe mode: 2.5 hours of continuous run time

2h

3h 45m

# **STRION DS® LED STRION®LED**

#### TRADITION SERIES

A powerful value that's perfect for the broadest range of lighting needs. IPX4-rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

#### STRION DS LED **BATTERY:** Lithium-ion 3.75V SIZE: 6.4" x 1.25" x .95"

(16.26 x 3.18 x 2.41 cm) WEIGHT: 5.4 OZ (153 g) COLOR: Black

#### STRION LED

SIZE: 5.9" x 1.25" x .95"

# BATTERY: Lithium-ion 3.75V

[14.99 x 3.18 x 2.41 cm] WEIGHT: 5.2 OZ (148 q) COLOR: Black or Pink

#### STRION ne

03	JIKIUN	
74411	74301	with 120V AC/12V DC — 1 Holder — Black
74412	74302	with 120V AC/12V DC – 2 Holders – Black
74413	74303	with 120V AC — Black
74414	74304	with 12V DC—Black
74421	74308	with 120V AC/12V DC — Black—Clam
74419	74353	with 120V AC/12V DC – 1 PiggyBack—Black
_	74361	with 120V AC/12V DC - 1 PiggyBack—Pink
74410	74300	without Charger — Black
74420	74309	with Grip Ring 120V AC — Black
_	74350	with 120V AC/12V DC – 1 Holder – Pink

STRION DS	HIGH	MEDIUM	LOW
LUMENS:	375	150	40
CANDELA:	12,000	5,000	1,300
DISTANCE:	219m	141m	72m
RUN TIME:	2h	5h	20h
Strobe mode: 45	hours of con	tinunus run tii	me

375 LUMENS

#### With [(STROBE)] Dual Switch Double tap switch to activat

AVAILABLE IN BOTH DUAL SWITCH AND STANDARD STYLES

STRION	HIGH	MEDIUM	LOW
LUMENS:	260	130	65
CANDELA:	10,000	5,000	2,500
DISTANCE:	200m	141m	100m
RUN TIME:	2h	4h	7h 30m

Strobe mode: 5.5 hours of continuous run time

### SUPER SIEGE® LANTERN

The Super Siege® Lantern features five C4® power LEDs, one white and four red with six output modes and a battery level indicator built into the on/off button. A 8800 mAh rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D ring for large area lighting needs. Utilize the included "Glare Guard" to shield light from 1/2 the globe, allowing you to direct light on your work zone. A small storage area is provided in the base of the light for all your "keep dry" needs. Simply rotate the bottom cover counter clockwise to remove and access the storage compartment.

#### SUPER SIEGE

BATTERY: Rechargeable 8800 mAh Lithium Ion battery **SIZE:** 3.8" x 7.5" (9.65 x 19.05 cm) WEIGHT: 1 lb 14 oz (867 g) COLOR: Covote or Yellow

44947 Super Siege Lantern w/ AC power cord - Coyote 44945 Super Siege Lantern w/ AC power cord – Yellow 44951 Magnetic Accessory Base

(1) WHITE C4 LED	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5h	10.5h	35h

Light output with outer globe removed.

(4) RED LEDs	HIGH	HIGH FLASH/SOS MODE LOW		
LUMENS:	2.7	2.7	1	
RUN TIME:	110h	230h	288h	

With ((RED SOS)) Hold on/off button to activat

### **1.100** LUMENS



A small drv storage area is provided in the lights base for all your "keep dry" needs



8800 mAh rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to

recharge all your electronic devices from the handy USB port



Magnetic

# THE SEIGE SERIES. THEY'VE GOT SURVIVAL INSTINCTS.

STREAMLIGHT







# **THE SIEGE®** LANTERN

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high, and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery.

#### THE SIEGE

BATTERY: (3) "D" size alkaline **SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm) WEIGHT: 1 lb 15 oz (878 g) COLOR: Covote

#### 44931 The Siege Lantern – Coyote



Shown with outer globe removed.

# SIEGE<sup>®</sup>AA LANTERN

The Siege<sup>®</sup> AA lantern features one C4<sup>®</sup> power LED, and two red LEDs (or two blue LEDs on the C.O.P.S. model). There are five output modes and a battery level indicator built into the on/off button. With the outer lantern globe in place, the light will float. Use the lantern with or without the outer globe cover. Remove the outer globe and hang the body upside down by the D ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

#### SIEGE AA

BATTERY: [3] "AA" size alkaline SIZE: 2.37" x 5.44" (6.00 x 13.82 cm) WEIGHT: 8.8 oz (249.47 g) COLOR: Coyote, Yellow, Red, Pink or Blue

44941	Siege AA Lantern–Coyote	
44943	Siege AA Lantern – Yellow w/magnetic base	STOR
44953	Siege AA Lantern – Red	STREAML
44944	Siege AA Lantern – Pink	
44949	Siege AA Lantern – Blue	
SIEGE A	A ACCESSORY	
44942	Magnetic Base	
		- COLUMN TO A C

(4) WHITE C4 LEDs	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
Light output with outer globe removed.			

(1) RED LED	HIGH	FLASH/SOS MODE
LUMENS:	10	10
RUN TIME:	235h	430h

#### **Special Features:**

- Floats for easy retrieval.
- Waterproof to 1 meter.
- 2 meter impact-resistance tested.
- Unbreakable lens.
- Rugged, non-slip base.

# With **(RED SOS)** Hold on/off button to activate.

With [(RED SOS)]


Hold on/off button to activate

Versatile design features rugged carry handle and D-rings clip to hang virtually anywhere.

HIGH	MEDIUM	LOW		
200	100	50		
7h	15h 30m	37h		
Light output with outer globe removed.				
HIGH	FLASH/SOS	MODE		
.7	.7			
	200 7h uter globe r	200 100 7h 15h 30m uter globe removed. HIGH FLASH/SOS		



STREAML













Trigger style switch with momentary operation.



Green Filter Red Filter preserves niaht vision. reduces shadows.

	0
Special Features:	

- Unbreakable, O-ring sealed lens.
- IPX4-rated for water-resistance.
- 1 meter impact-resistance tested.
- Integrated stand for hands-free scene lighting.

### 550 LUMENS

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

Unlimited run time when using 12V DC power cord. Emergency signal run time 82 hours.

# **WAYPOINT®**

This long-distance, pistol-grip lantern is the light you need to inspect a power line from the ground, find a dock from the interior of a lake or to see whatever is way up ahead. Its beam reaches about the length of 6 football fields! It also has plenty of peripheral light, so you can see what's all around you. Set it down to illuminate an entire area or aim it to check on trees or power lines far away. This next generation alkaline model features 3 modes including a strobe for signaling.

#### WAYPOINT

**BATTERY:** 4 "C" batteries (not included). Can also be powered by 12V DC power cord (included) **SIZE:** 6.75" x 7.14" x 3.5" [17.15 x 18.14 x 8.89 cm] WEIGHT: 1.8 lb (816 g) COLOR: Yellow or Black

#### YELLOW BLACK

44900	44902	12V DC power cord *— w/polymer storage mount
44904	44905	12V DC power cord*
ACCESS	ORIES	
44908	44908	Polymer Storage Mount
44903	44903	12V DC power cord*
44924	44924	Red Filter
44925	44925	Green Filter
*12V DC po	wer cord doe	es not recharge batteries

## WAYPOINT<sup>®</sup> RECHARGEABLE

The rechargeable model has a broader, wider beam than the original Waypoint. It spreads bright light across a whole room, campsite or backyard illuminating everything, yet its beam still reaches an impressive 678 meters. IPX8 rated design waterproof to 2 meters. Light floats if dropped in water. Includes 3 modes: low, medium and high. With its integrated stand you can set it up for easy area illumination. Fully recharges in 4 hours.

#### WAYPOINT RECHARGEABLE

BATTERY: Lithium Ion with on-board safety control circuit SIZE: 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.29 cm) WEIGHT: 1.52 lb (691 a) **COLOR:** Yellow or Black

#### YELLOW BLACK

44910	44911	with 120V AC charge cord
ACCESS	ORIES	
44918	44918	Polymer Storage Mount
44915	44915	Red Filter
44916	44916	Green Filter
44923	44923	12V DC charge cord
44909	44909	120V AC charge cord



Green Filter reduces Red Filter preserves shadows. night vision. 0 Includes 120V Charge Cord. 1.000 LUMENS HIGH MEDIUM LOW 550 35 LUMENS: 1.000 The Waypoint rechargeable holder CANDELA: 115,000 60,000 10,000 Special Features: allows for secure DISTANCE: 678m 490m 200m - Unbreakable, O-ring sealed lens. storage (included RUN TIME: 3h 6h 80h with product and - IPX8-rated for water-resistance. also offered as an - 1 meter impact-resistance tested. accessory). - Integrated stand for hands-free scene lighting.

# THE WAYPOINT FAMILY NOW ADDS DUALE FUNCTIONALITY.



## **DUALIE WAYPOINT®**

The Dualie Waypoint<sup>®</sup> light offers dual light technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. It exhibits long runtime using 4 "C" sized alkaline batteries, high, medium and low intensity modes, and the latest in power LED technology. The spotlight provides a high powered beam for distance spotting and the bottom/downcast light for all your area lighting needs. The ergonomic handle hooks over any door, pipe, bar, cable or ladder rung for hands free operation. It also includes other innovative features like the D ring and integrated stand to make the light perfect for any lighting need. The light is sealed and floats, so it's great for wet applications.

DUALIE WAYPOINT		
BATTERY: (4) "C" alkaline batteries		
<b>SIZE:</b> 6.75" x 6.5" x 3.55" (17.14 x 16.5 x 9.0 cm)		
WEIGHT: 2.06 lbs (934 g) w/o batteries		
COLOR: Yellow/Black		

44940	Yellow/Black
44955	Yellow/Black — box

SPOT BEAM	HIGH	MEDIUM	LOW
LUMENS:	750	500	35
CANDELA:	72,000	45,000	3,200
DISTANCE:	535m	426m	113m
RUN TIME:	3h 30m	6h	125h

FLOOD BEAM	HIGH	MEDIUM	LOW
LUMENS:	450	230	25
CANDELA:	240	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5h 45m	15h	170h

HIGH	MEDIUM	LOW
750	600	75
Зh	6h	55h
	750	750 600

NEW



Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



# STREAMLIGHT

# LIGHT UP THE WORLD ANYWHERE YOU WANT.











# **PORTABLE SCENE LIGHT**

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers.

#### PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance 12V, 14.4 Ah sealed lead acid. Can also be powered by 12V DC power cord. SIZE: 22" x 6.5" x 11" (55.88 x 16.5 x 27.9 cm) WEIGHT: 25 Ib (11.3 kg) COLOR: Yellow

 PORTABLE SCENE LIGHT

 45670
 120V AC/12V DC Portable Scene Light – Yellow





	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	20,000	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

with the stabilization legs fully deployed and locked in less than 30 seconds

Full extension to 72"

**HL SERIES** 

Cord is built into the pole avoiding snags during deployment

Balanced design; lead acid batteries provide ballast and stability

Special Features:

5.300 LUMENS

- Full deployment in 30 seconds
- Pole extends to 72"; cord built into the pole to avoid snags
- Stabilization legs provide balance on uneven surfaces

# **BANDIT**®

The Bandit<sup>®</sup> USB COB headlamp is an ultra lightweight, weather resistant, personal area/work light featuring a large button for easy actuation, and a Lithium Polymer rechargeable battery. A rubber plug keeps dirt and debris out of the micro USB charging port. It includes a handy snap in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband. High, Low and Emergency flash modes on Yellow and Black models.

#### BANDIT

**BATTERY:** 450 mAh Lithium Polymer cell **SIZE:** 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm) **WEIGHT:** 1.3 oz (36.8 g) **COLOR:** Yellow, Black or Coyote

61700	with Headstrap and USB cord—Yellow / White LED
61702	with Headstrap and USB cord—Black / White LED
61706	with Headstrap and USB cord—Coyote / Red LED
61707	with Headstrap and USB cord—Coyote / Green LED

WHITE LED	HIGH	LOW
LUMENS:	180	35
RUN TIME:	2h	9h30m
Yellow and Black models	: Emergency	flash on high
RED LED	HIGH	LOW
RED LED	ні <b>сн</b> 45	<b>LOW</b> 10
		10

RUN TIME:	Зh	13h 30m
LUMENS:	135	25
GREEN LED	HIGH	LUW

#### Yellow & Black Models: White LED



Includes a handy snap in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

# ENDURO<sup>®</sup> pro

The Enduro Pro Headlamp features two C4<sup>®</sup> power LEDs, and two colored LEDs. This headlamp is a versatile as it is durable. IPX4 water-resistant rated and 2m impact resistance tested. The Enduro Pro features eight output modes – three levels of spot or flood and two for the night vision colored LEDs. 45° tilting head design. Snap-on front fascia plate is included and allows you to easily change color.

#### ENDURO PRO

**BATTERY:** (3) "AAA" alkaline **SIZE:** 1.85" x 2.19" x 1.45" (4.70 x 5.56 x 3.68 cm) **WEIGHT:** 3.4 oz (96.38 g) **COLOR:** Black with Yellow Fascia or Coyote Fascia

61420	Black/Yellow red LED w/ (3) alkaline
	— elastic headstrap—clam
61421	Black/Yellow red LED w/ (3) alkaline
	— elastic headstrap—box
61425	Black/Coyote green LED w/ (3) alkaline
	— elastic headstrap—clam



WHITE SPOT	HIGH	MED	LOW	WHITE FLOOD	HIGH	MED	LOW
LUMENS:	200	75	25	LUMENS:	135	45	15
CANDELA:	2,250	825	300	CANDELA:	210	80	20
DISTANCE:	95m	57m	35m	DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h	RUN TIME:	6h	14h	38h
RED LED		HIGH	LOW	GREEN LED		HIGH I	LOW
LUMENS:		.37	.08	LUMENS:		1.25 .	.25



# STYLUS PRO® USB & USB UV

You won't want to be without this sleek, compact penlight that recharges at any USB port or with optional AC wall adaptor. Now we have a UV model! Consistent light output throughout battery life. IPX4 water-resistant. 1 meter impact-resistance tested.

#### STYLUS PRO USB & STYLUS PRO USB UV

BATTERY: Lithium ion **SIZE:** 6.15" x .74" [15.6 x 1.9 cm] WEIGHT: 1.9 oz (53.8 g) COLOR: Black

66133	Stylus Pro USB with 120V AC adapter, USB cord,
	nylon holster — Black with white LED
66134	Stylus Pro USB with USB cord, nylon holster
	— Black with white LED
66148	Stylus Pro USB UV with 120V AC adapter, USB cord,
	nylon holster
66149	Stylus Pro USB UV with USB cord, nylon holster
22070	USB Cord
22071	120V AC Wall Adapter
66029	Holster



# **STYLUS PRO® COB**

A sleek, compact, USB rechargeable worklight that you can wear. Clip it to your pocket for hands-free lighting. Don't have a pocket? Stick it to a steel surface using its integrated magnet. Slim profile fits into tight spaces to flood the work area with light.

#### STYLUS PRO COB

BATTERY: Lithium ion SIZE: 6.64" x .55" (168.6 x 14 mm) WEIGHT: 2.2 OZ [62.4 g] COLOR: Black

66700	includes pocket clip and USB cord - clam
66702	includes pocket clip and USB cord - box

	HIGH	LOW
LUMENS:	160	40
CANDELA:	130	30
DISTANCE:	23m	11m
RUN TIME:	Зh	8h 30m



Push-button switch with charge indicator Red = charging / Green = charged

# SURE, THEY'RE CALLED POCKET LIGHTS. BUT REALLY THEY'RE GO-ANYWHERE, DO-ANYTHING LIGHTS.

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1h 30m	3h 30m





Sliding metal sleeve protects micro USB port

# **MICROSTREAM®** USB

This compact lithium ion battery powered flashlight designed for use in all markets. It features a tail cap switch, momentary or constant on operation, high and low beams, a combination pocket/hat clip for convenience, and amazing brightness and run time for a light of its size and price. The aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant. To charge the light, slide the head cover forward to expose the micro USB port.

#### MICROSTREAM USB

BATTERY: Li-lon 350mAh rechargeable SIZE: 3.87" x .61" (98.2 x 15.6 cm) WEIGHT: 1.2 oz (34.1 g) COLOR: Black

66601includes wrist lanyard, hat clip and USB cord - clam66604includes wrist lanyard, hat clip and USB cord - box

# **MICROSTREAM®**

So small, you can keep it in your pocket or clip it to a cap for hands-free lighting. Ideal if you carry a lot of gear and don't want to be weighed down. Unbreakable lens. O-ring sealed. IPX4-rated for water-resistance. 1 meter impact-resistance tested. Removable pocket/hat clip.

#### MICROSTREAM

BATTERY: (1) "AAA" alkaline SIZE: 3.6" x .6" (9.15 x 1.5 cm) WEIGHT: 1.04 oz (29.7 g) COLOR: Matte Black or Red

66318	White LED — Black
66323	White LED — Red

# STREAMLIGHT JR. F-STOP™

Ultra-compact light weight 2AA flashlight features the latest in power LED technology and has Spot to Flood technology! This new feature makes the light very versatile for every lighting need. With the bezel forward (for Spot mode) the light has a piercing beam. When the bezel is slid backwards, the beam opens up into a smooth flood pattern for area lighting.

#### STREAMLIGHT JR. F-STOP

BATTERY: Two (2) "AA" size, Alkaline or Lithium batteries. SIZE: 6.5" x 1.12" x .75" [16.51 x 2.84 x 1.90 cm] WEIGHT: 4.4 OZ [125 q] COLOR: Black. Red or Blue

71700	Black, includes holster and (2) alkaline batteries—clam
71701	Black, includes holster and (2) alkaline batteries—box
71702	Red, includes holster and (2) alkaline batteries—clam
71703	Red, includes holster and (2) alkaline batteries—box
71704	Blue, includes holster and (2) alkaline batteries—clam
71705	Blue, includes holster and (2) alkaline batteries—box
71503	Nylon holster
99075	Rubber helmet strap



# **CLIPMATE® USB**

This multi-function light clips to a pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4 water-resistant. 1 meter impact-resistance tested.

#### CLIPMATE USB

**BATTERY:** Lithium polymer cell SIZE: 3.20" x 1.39" x .65" (8.1 x 3.5 x 1.7 cm) WEIGHT: 1.9 OZ (53.8 g) COLOR: Black



61125	Light only—Black	
61126	120V AC-Black	



the beam where your need it

WHITE LED	HIGH	LOW
LUMENS:	70	10
CANDELA:	500	50
DISTANCE:	44m	14m
RUN TIME:	3h 30m	24h
RUN IIME.	31130111	2411
RED LED	HIGH	LOW
	0.100	

6m

16h

Зm

65h

.......

	OANDEEA.	
Dual LEDs:	DISTANCE:	
intensity white LED Jight vision red LED	RUN TIME:	

# **KEYMATE®** USB

This weather resistant, personal area light featuring a recessed button to prevent accidental turn on, a Lithium Polymer rechargeable battery and a low battery power warning indicator. It also includes a snap hook for attachment to a key ring, zipper pull, or ball cap.

#### **KEYMATE USB**

**BATTERY:** Lithium polymer cell **SIZE:** 2.9" x 1.08" x .5" (7.3 x 2.74 x 1.27 cm) **WEIGHT:** 1.9 oz (53.8 g) **COLOR:** Black

73200 KeyMate USB w/5" (12.7cm) USB Cord-Black



# NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

#### NAND

BATTERY: [4] alkaline button cell SIZE: 1.47" x .51" x .43" (3.73 x 1.3 x 1.09 cm) WEIGHT: .36 oz (10 g) COLOR: Black, Blue, Pink, or Red

For each color Nano Light sale, we donate <sup>\$1</sup> to the organization associated with that light. Look to the right for information about each cause.



By purchasing this product you are helping to make a difference in the rebuilding of the lives of surviving families and affected co-workers of law enforcement officers killed in the line of duty. In addition to rebuilding lives, C.D.P.S. provides training to law enforcement agencies on survivor victimization issues and educates the public of the need to support the law enforcement profession and its survivors. For more information, visit www.nationalcops.org.

The Breast Cancer Research Foundation<sup>®</sup> is an independent 501 (c) [3] not-for-profit organization whose mission is to achieve prevention and a cure for breast cancer in our lifetime by providing critical funding for innovative clinical and genetic research at leading medical centers worldwide, and increasing public awareness about good breast health. For more information, visit www.bcrfcure.org.

Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit www.firehero.org.





(444) 166 01 90 Cordillera Oriental #257, Lomas 3ra Sección contacto@royalsecurity.mx www.royalsecurity.mx